


We did more than improve its technology. We changed its philosophy.







Introducing the revolutionary e-Bridge hardware platform. One board. One design. An infinite number of advantages.



0

'Small to medium-sized workgroups looking for modular features, expandability and reduced hardware costs will find the efficient e-sTUDIO350 ideal for their needs."

8600

Built on Toshiba's proprietary e-Bridge hardware platform, the e-STUDIO350 raises the digital multifunction device to a new level of efficiency. One that only Toshiba could achieve. Using a single board, e-Bridge's all-in-one architecture seamlessly integrates copy, print, scan, fax and other networking capabilities. It works smarter, giving you lower hardware costs, better features and enhanced functionality.

Bigger screen. Bolder graphics. Easier to use.

When we doubled the size of the e-STUDIO350's touch screen, we didn't just make it bigger, we made it better. Its simplified controls and bold icons make it remarkably easy to use. It's the kind of improvement you've come to expect from Toshiba. No stand-alone printer offers more features or the ability to work across a wide variety of platforms and network protocols.

e-FILING Need to scan or store documents? New e-Filing offers 200 private user boxes and 1 public box.

> The e-STUDIO350 offers Scan-to-File, Scan-to-Email and Scan-to-e-Filing, and boasts a fast scanning speed of 45 originals per minute.

COPY

SCAN

Advanced copy features offer versatile paper handling options, while pre-set templates and job reservations increase productivity.

FAX

The e-STUDIO350's control panel changes to basic fax operations while storing up to 1,000 fax numbers in its address book. The sleek, space-saving design features an inner exit tray.

New bolder, oversized graphical icons adorn the larger half-VGA touch screen control panel.

The easy to use, tilting touch screen control panel is 508 compliant.

The front-load design makes

toner replacement hassle-free.

A stackless ADU reduces paper consumption and operating costs.

Finishing and booklet-making features such as sheet insertion, multi-position stapling, hole punch and saddle-stitch finishing make the e-studio350 extremely versatile.

> A 3,700-Sheet paper capacity, stackless duplexing and up to 5 different paper sources are just a few of the e-STUDI0350's many paper handling features.



With an output of 35 pages per minute, no one will doubt the speed of the e-STUDIO350.

But that's just the beginning of a long list of benefits. With its **innovative new e-Bridge**



hardware platform, this remarkable device is internet-ready, mobile-wireless ready and solution-ready. Its networking capability is engineered deep into the core design. Which means multifunction products



integrate seamlessly with your existing business

document workflows and

IT infrastructures. Put simply, this device's unified design controls multiple functions and processes information more efficiently

than ever before. And because it's



proprietary, our e-Bridge architecture means the **economy, productivity, and quality** you've come to expect from Toshiba is now only available from **Toshiba**.



COPY FEATURES

Access Codes Alternation Annotation AMS/APS (RADF, & **Original Glass**) Auto Job Start Auto Cassette Change Auto Trayless Duplex Auto Energy Saver Auto Sleep Mode **Cover Sheet Dual Page Copying** Edge Erase e-Filing **Electronic Sort Energy Saver**

PRINT FEATURES

Cover Page DocMon® - Document Monitoring Utility Duplex Printing Magazine Sort Mixed Size Printing Private Print Proof Printing

SCAN FEATURES

Scan-to-File Scan-to-FTP Scan-to-Email

FAX FEATURES

Address Book (1,000 Addresses)

Automatic Redial (Up To 14 Times)

Broadcasting (Max. 1,000 Destinations)

Chain Dialing

Delayed Transmission

Direct Transmission

Double Sided Scanning and Reception

Image Shift Interrupt Memory **Job Templates** Job Reservation (Scan Ahead) – 5 Jobs Magazine Sort (Booklet Making Mode) Mirror Image Negative/Positive **Page Numbering** Sheet Insertion Text, Text/Photo & Photo Modes Weekly Timer X-Y Zoom 2-in-1, 4-in-1, 8-in-1 Copy Modes

- Saddle-Stitch/Booklet Mode Scheduled Print Sheet Insertion Stapled Sets Store to e-Filing TopAccess® Device Management Watermark Print
- Scan-to-e-Filing Scan-to-Twain Scan-to-Internet Fax

Dual Access Group Dialing (Max. 200 Groups/400 Destinations/Group) Optional Second Line PC/LAN Faxing Polling Priority Transmission Public Mailbox (F-Code) TX/RX Reporting



.

........



SPECIFICATIONS

Copying Type	Method (Dry Process) Laser Electronic	File Format	TIFF-MMR, TIFF-S, PDF
Original Reading Method	CCD Line Sensor	FACSIMILE	
Copy/Print Resolution	2400 x 600 dpi	Operation Method	Touch Screen Fax Panel or Network Fax
Copy/Print Resolution	35 PPM (Letter)	Compatibility	Super G3
Warm-Up Time	Approximately 20 Seconds	Data Compression	MH/MR/MMR/JBIG
First Copy Time	Less Than 3.9 Seconds (Letter)	Transmission Speed	Approx. 3 Seconds Per Page
Duty Cycle	120,000 Copies	Fax Modem Speed	33.6 Kbps
Multiple Copying	Up to 999 Copies	Fax Memory	240 MB Transmission; 120 MB Reception; 40+ GB HDD Back-Up
Acceptable Paper Size	Statement-R (5.5" x 8.5") to Ledger	Memory Transmission	100 Jobs; 1,000 Destinations Max.;
"Smart"	(11" x 17"), 17-28 lbs.; Stack Feed	ick Feed	400 Destinations/Job
Smart	Bypass 17-53 lbs. (110 lbs. Index)	Scan Speed	.7 Seconds Per Page; 50 Scans Per Minute
Acceptable Paper Type	Standard Bond, Overhead	e-FILING	
	Transparencies, Gummed Labels	Operation Method	Touch Screen Control Panel or Client PC
Memory	128 MB, 40+ GB HDD	Number of Boxes	1 Public Box; 200 Private User Boxes
Reduction/Enlargement Bypass	25% to 400% Stack Feed "Smart" Bypass (100-Sheet)	Capacity of Boxes	100 Folders Per Box; 400 Pages Per Folder; 200 Pages Per Document
Control Panel	Graphic Display; Icon Based LCD	File Format	TIFF-MMR, PDF, TAC
	Touch Panel; Key Top	OPTIONS	
Paper Supply	2 Standard Cassettes @ 550 Sheets (17-28 lbs.); 100-Sheet Bypass	MR3015 – Reversing Auto Document Feeder (RADF)	Simplex Originals (13-33 lbs.), Duplex Originals (13-28 lbs.)
Toner Control Method	Automatic Toner Density Monitoring and Dispensing From Toner Cartridge		550-Sheet Pedestal; Statement-R to
Dimensions	26" x 28" x 29" (W x D x H)	MY1021 – Cassette Module	Ledger (17-28 lbs.)
Weight	Approximately 177 lbs.		550-Sheet Drawer; Statement-R to Ledger (17-28 lbs. 2,500-Sheet Drawer; Letter (17-28 lbs.);
PM Cycle	120,000	KD1012 – Large Capacity Tray	Stacks Side-By-Side (2 x 1,250)
Drum Type/Yield	Organic Photoconductor/120,000	MJ5004 – Job Separator	Attaches to Inner Exit Compartment; Upper Tray 150
Black Toner Yield	21,000		Sheet Capacity, Lower Tray 250-Sheet Capacity
Black Developer Yield	120,000	MJ5005 – Offset Catch Tray	Attaches to Inner Exit Compartment; 250-Sheet
Power Supply	115 Volts; 60 Hz		Paper Capacity
Power Consumption PRINT	Maximum 1.5 kW	MJ1022 – Single-Position Hanging Finisher	2 Tray; Hanging Design; Tray 1 Stack Capacity: 200 Sheets (Lt); Tray 2 Stack Capacity: 700 Sheets (Lt); Staple Capacity: 50 Sheets (Lt/Lt-R, 22 lbs.)
PDL Support	PCL6™ & PostScript™ 3	MJ1023 – Multi-Position	2 Tray; Console Design; Tray 1 Stack Capacity:
Operating Systems	NetWare [®] 4.x, 5.x, 6.x, Windows [®] NT	Stapling Finisher	1,000 Sheets (Lt); Tray 2 Stack Capacity: 1,000 Sheets (Lt); Staple Capacity: 50 Sheets (Lt/Lt-R, 22 lbs.)
4.0,	Windows® 98, 2000, Me, XP, Citrix® Metaframe®, Macintosh®, Linux®, UNIX®	MJ1024 – Multi-Position Stapling Finisher With	2 Tray + Saddle-Stitch Tray; Console Design; Tray 1 Stack Capacity: 1,000 Sheets (Lt); Tray 2 Stack
Protocol Support	IPX/SPX, TCP/IP, Linux®, UNIX® EtherTalk®, LPR/LPD, IPP, WINS, SNMP, SMB	Saddle-Stitch	Capacity: 1,000 Sheets (Lt); Staple Capacity: 50 Sheets (Lt/Lt-R, 22 lbs.)
		MJ6004 – Hole Punch Unit	2 or 3 Hole Punch Capability
Drivers	Windows [®] 98, 2000, Me, XP, Windows [®] NT 4.0, Mac [®] OS 8.6, 9.x, 10.x (with PPD), UNIX®	KN3520 – Bridge Kit	Required with MJ1022, MJ1023, MJ1024
		KA3511 – Platen Cover	
Connectivity	10/100BaseT Ethernet, 802.11b Wireless, IEEE 1284, USB	KK3511 – Work Tray	
		GM1010 – Print Enabler GM2010 – Print & Scan Enabler	
SCAN		GM2010 – Print & Scan Enabler	
Scan Resolution	150 dpi, 200 dpi, 300 dpi, 400 dpi,	GM3010 – Scan Upgrade Enabler GD1150 – Fax Board	

Corporate Office: 2 Musick, Irvine, California 92618-1631

East Coast: 959 Route 46 East, 5th Floor, Parsippany, New Jersey 07054 Tel: 973/316-2700 Fax: 973/263-2393

Midwest: 8770 W. Bryn Mawr Avenue, Suite 700, Chicago, Illinois 60631 Tel: 773/380-6000 Fax: 773/380-8077

South: 4855 Peachtree Industrial Blvd., Suite 210, Norcross, Georgia 30092-3024 Tel: 770/209-8540 Fax: 770/209-8556

West Coast: 142 Technology, Suite 150, Irvine, California 92618 Tel: 949/462-6262 Fax: 949/462-2700

Web Site: www.copiers.toshiba.com or www.fax.toshiba.com

© 2004 Toshiba America Business Solutions, Inc., Electronic Imaging Division e-studio350 Brochure/Inv. Code ES3501

Designs and specifications subject to change without notice. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates, based on 6% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system.

AUTHORIZED TOSHIBA DEALER

